

Message

From: O'Loughlin, Connor [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D1F369DA6C9547ED90366BFB7C59510B-OLOUGHLIN,]
Sent: 11/30/2018 2:07:55 PM
To: Steven Hirsh (Hirsh.Steven@epa.gov) [Hirsh.Steven@epa.gov]
CC: Yazmine Yap-deffler (Yap-Deffler.Yazmine@epa.gov) [Yap-Deffler.Yazmine@epa.gov]
Subject: Information Paper - PFAS in the Removal Program

Steve,

I think I have captured all of the removal aspects for the two sites.

Blades, DE – Removal Action

Due to PFAS contamination identified in three public well in excess of the the HAL. In February 2018, the EPA coordinated and conducted two rounds of residential well sampling in the vicinity of two electroplating facilities. EPA's contractor sampled 54 residential wells and installed 8 carbon units in homes where the PFAS contamination was within 75% of the HAL. EPA also initiated re-sampling of homes for which the State of Delaware has provided carbon filter units to ensure they were operating as required. The Removal Assessment is complete and has shared all the validated data with Site Assessment, which has completed onsite assessment activities in the town of Blades.

Nonresponsive based on revised scope

Thank you

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Site Assessment Manager, HSCD
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444